

Author Index to Volume 164

- Adam, M.Y., M.P. Keane, A. Naves de Brito, N. Correia, B. Wannberg, P. Baltzer, L. Karlsson and S. Svensson, High resolution X-ray and He II excited inner valence photoelectron spectra of HI 164 (1992) 123
- Ågren, H., see D. Nordfors 164 (1992) 173
- Albertazzi, E. and F. Zerbetto, Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene 164 (1992) 91
- Bachir, I.H., R. Charneau and H. Dubost, Vibrationally mediated selective excitation of matrix-isolated NO(B²Π) applied to the study of intramolecular energy redistribution among the excited valence states 164 (1992) 451
- Baltzer, P., see M.Y. Adam 164 (1992) 123
- Bartels, D.M., P. Han and P.W. Percival, Diffusion and CIDEP of H and D atoms in solid H₂O, D₂O and isotopic mixtures 164 (1992) 421
- Barzoukas, M., A. Fort, G. Klein, C. Šerbutoviez, L. Oswald and J.F. Nicoud, Conformational dependence of the quadratic hyperpolarisabilities of a series of push-pull stilbenes: characterisation and investigation of empirical correlations 164 (1992) 395
- Bässler, H., see M. Deussen 164 (1992) 247
- Bawagan, A.D.O., B.J. Olsson, K.H. Tan, J.M. Chen and B.X. Yang, The correlation states of furan and thiophene by high resolution synchrotron photoelectron spectroscopy 164 (1992) 283
- Bely, M.U., G.I. Gaididei, Yu.B. Gaididei, I.Ya. Kushnirenko and M.G. Skryshevskaya, Intermolecular interaction effects in the vibrational spectra of electrolyte solutions 164 (1992) 83
- Bencivenni, L., see F. Ramondo 164 (1992) 153
- Berberan-Santos, M.N. and J.M.G. Martinho, A linear response approach to kinetics with time-dependent rate coefficients 164 (1992) 259
- Berezhkovskii, A.M., Non-equilibrium solvation in chemical reactions. I. Effective equations of motion 164 (1992) 331
- Berezhkovskii, A.M. and V.Yu. Zitserman, Non-equilibrium solvation in chemical reactions. II. Rate constant 164 (1992) 341
- Bhanuprakash K., see L. Chantranupong 164 (1992) 183
- Brennan, J.G., G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze, Electron localization in the bis-arene complexes [(η-C₆H₆)₂Cr] and [(η-C₆H₅Me)₂Mo]: an investigation by photoelectron spectroscopy with variable photon energy 164 (1992) 271
- Buenker, R.J., see L. Chantranupong 164 (1992) 183
- Burshtein, A.I. and A.V. Storozhev, The angular momentum relaxation due to multiparticle collisions of molecules with atoms 164 (1992) 47
- Cachet, C., see F. Fillaux 164 (1992) 311
- Cai, Z.-L., Y.-F. Wang and H.-M. Xiao, Ab initio study of low-lying electronic states of the N₃⁺ ion 164 (1992) 377

Author Index to Volume 164

- Adam, M.Y., M.P. Keane, A. Naves de Brito, N. Correia, B. Wannberg, P. Baltzer, L. Karlsson and S. Svensson, High resolution X-ray and He II excited inner valence photoelectron spectra of HI 164 (1992) 123
- Ågren, H., see D. Nordfors 164 (1992) 173
- Albertazzi, E. and F. Zerbetto, Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene 164 (1992) 91
- Bachir, I.H., R. Charneau and H. Dubost, Vibrationally mediated selective excitation of matrix-isolated NO(B²Π) applied to the study of intramolecular energy redistribution among the excited valence states 164 (1992) 451
- Baltzer, P., see M.Y. Adam 164 (1992) 123
- Bartels, D.M., P. Han and P.W. Percival, Diffusion and CIDEP of H and D atoms in solid H₂O, D₂O and isotopic mixtures 164 (1992) 421
- Barzoukas, M., A. Fort, G. Klein, C. Šerbutoviez, L. Oswald and J.F. Nicoud, Conformational dependence of the quadratic hyperpolarisabilities of a series of push-pull stilbenes: characterisation and investigation of empirical correlations 164 (1992) 395
- Bässler, H., see M. Deussen 164 (1992) 247
- Bawagan, A.D.O., B.J. Olsson, K.H. Tan, J.M. Chen and B.X. Yang, The correlation states of furan and thiophene by high resolution synchrotron photoelectron spectroscopy 164 (1992) 283
- Bely, M.U., G.I. Gaididei, Yu.B. Gaididei, I.Ya. Kushnirenko and M.G. Skryshevskaya, Intermolecular interaction effects in the vibrational spectra of electrolyte solutions 164 (1992) 83
- Bencivenni, L., see F. Ramondo 164 (1992) 153
- Berberan-Santos, M.N. and J.M.G. Martinho, A linear response approach to kinetics with time-dependent rate coefficients 164 (1992) 259
- Berezhkovskii, A.M., Non-equilibrium solvation in chemical reactions. I. Effective equations of motion 164 (1992) 331
- Berezhkovskii, A.M. and V.Yu. Zitserman, Non-equilibrium solvation in chemical reactions. II. Rate constant 164 (1992) 341
- Bhanuprakash K., see L. Chantranupong 164 (1992) 183
- Brennan, J.G., G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze, Electron localization in the bis-arene complexes [(η-C₆H₆)₂Cr] and [(η-C₆H₅Me)₂Mo]: an investigation by photoelectron spectroscopy with variable photon energy 164 (1992) 271
- Buenker, R.J., see L. Chantranupong 164 (1992) 183
- Burshtein, A.I. and A.V. Storozhev, The angular momentum relaxation due to multiparticle collisions of molecules with atoms 164 (1992) 47
- Cachet, C., see F. Fillaux 164 (1992) 311
- Cai, Z.-L., Y.-F. Wang and H.-M. Xiao, Ab initio study of low-lying electronic states of the N₃⁺ ion 164 (1992) 377

- Caminiti, R., see F. Ramondo 164 (1992) 153
- Chaillet, M., see A. Lichanot 164 (1992) 383
- Chantranupong, L., G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon, Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule 164 (1992) 183
- Charneau, R., see I.H. Bachir 164 (1992) 451
- Chen, J.M., see A.D.O. Bawagan 164 (1992) 283
- Chiu, Y.-N., see S.-T. Lai 164 (1992) 155
- Chu, C., see R. Wallace 164 (1992) 23
- Coffey, W.T., J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn, On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions 164 (1992) 357
- Compostizo, A., A. Crespo Colin, M.R. Vigil, R.G. Rubio and M. Diaz Peña, Thermal expansion and pressure dependence of the critical temperature near the lower-critical solution point of 2-butoxyethanol + water 164 (1992) 465
- Cooper, G., see J.G. Brennan 164 (1992) 271
- Correia, N., see M.Y. Adam 164 (1992) 123
- Cossart-Magos, C., see F. Morlet-Savary 164 (1992) 131
- Crespo Colin, A., see A. Compostizo 164 (1992) 465
- Dargelos, A., see C. Jamorski 164 (1992) 191
- Declewa, P. and M. Ohno, Many-body calculation of the core hole spectrum of PdN₂ 164 (1992) 73
- Déjardin, J.-L., see W.T. Coffey 164 (1992) 357
- De Sousa, G., see A. Pizzi 164 (1992) 203
- Desouter-Lecomte, M. and F. Remacle, Local decoupling of a bunch of resonances and associated trapping effect 164 (1992) 11
- Deussen, M. and H. Bässler, Anion and cation absorption spectra of conjugated oligomers and polymers 164 (1992) 247
- Diaz Peña, M., see A. Compostizo 164 (1992) 465
- Dillon, M.A., see L. Chantranupong 164 (1992) 183
- Dimicoli, I., see F. Morlet-Savary 164 (1992) 131
- Dimov, S.S. and C.R. Vidal, Rotational collision cross sections of the system CO A ¹Π-M (M=He, Ar, H₂) from a two-step excitation 164 (1992) 107
- Donovan, R.J., R.V. Flood, K.P. Lawley, A.J. Yench and T. Ridley, The resonance enhanced (2+1) multiphoton ionization spectrum of I₂ 164 (1992) 439
- Dovesi, R., see A. Lichanot 164 (1992) 383
- Dubost, H., see I.H. Bachir 164 (1992) 451
- Eggenberger, R., S. Gerber, H. Huber, D. Searles and M. Welker, Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range 164 (1992) 321
- Fillaux, F., H. Ouboumour, C. Cachet, J. Tomkinson, G.J. Kearley and L.T. Yu, Inelastic neutron scattering study of γ-MnO₂: the dynamics of (H⁺)₄ entities in Mn⁴⁺ vacancies 164 (1992) 311
- Flood, R.V., see R.J. Donovan 164 (1992) 439
- Fort, A., see M. Barzoukas 164 (1992) 395

- Gaididei, G.I., see M.U. Bely 164 (1992) 83
Gaididei, Yu.B., see M.U. Bely 164 (1992) 83
Ganz, M., W. Kiefer, E. Kolba, J. Manz and P. Vogt, A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering 164 (1992) 99
Gerber, S., see R. Eggenberger 164 (1992) 321
Green, J.C., see J.G. Brennan 164 (1992) 271
Gückel, F., A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler, Spectroscopic investigations of the lowest triplet state of *s*-tetrazines 164 (1992) 217
Guenzburger, D., see S.R. Nogueira 164 (1992) 229
- Han, P., see D.M. Bartels 164 (1992) 421
Hirsch, G., see L. Chantranupong 164 (1992) 183
Huang, T.-H., Intramolecular vibrational activity and quantum beats in the Raman-induced optical Kerr effect of liquids under impulsive electric excitations 164 (1992) 57
Huber, H., see R. Eggenberger 164 (1992) 321
- Jamorski, C. and A. Dargelos, Ab initio CI calculations of electronic and vibrational spectra of ZnCH_3 164 (1992) 191
- Kalmykov, Yu.P., see W.T. Coffey 164 (1992) 357
Kaltsoyannis, N., see J.G. Brennan 164 (1992) 271
Karlsson, L., see M.Y. Adam 164 (1992) 123
Keane, M.P., see M.Y. Adam 164 (1992) 123
Kearley, G.J., see F. Fillaux 164 (1992) 311
Khrapak, A., see Y. Sakai 164 (1992) 139
Kiefer, W., see M. Ganz 164 (1992) 99
Kimura, M., see L. Chantranupong 164 (1992) 183
Klein, G., see M. Barzoukas 164 (1992) 395
Kolba, E., see M. Ganz 164 (1992) 99
Kushnirenko, I.Ya., see M.U. Bely 164 (1992) 83
- Lai, S.-T. and Y.-N. Chiu, Intensity and alignments of three-photon nonresonant transitions 164 (1992) 155
Larrieu, C., see A. Lichanot 164 (1992) 383
Lawley, K.P., see R.J. Donovan 164 (1992) 439
Lemaire, J.-L., see X.-F. Yang 164 (1992) 115
Li, L., X.T. Wang, X.N. Li and X.B. Xie, The (3 + 1) REMPI spectrum of CS_2 in the 62000–65000 cm^{-1} region 164 (1992) 305
Li, X.N., see L. Li 164 (1992) 305
Lichanot, A., M. Chaillet, C. Larrieu, R. Dovesi and C. Pisani, Ab initio Hartree-Fock study of solid beryllium oxide: structure and electronic properties 164 (1992) 383
- MacDonald, M.A., see J.G. Brennan 164 (1992) 271
Maki, A.H., see F. Gückel 164 (1992) 217
Manz, J., see M. Ganz 164 (1992) 99
Martinho, J.M.G., see M.N. Berberan-Santos 164 (1992) 259
Matyushov, D.V., Donor-acceptor vibrations in nonadiabatic electron transfer reactions 164 (1992) 31

- Mikkelsen, K.V., see D. Nordfors 164 (1992) 173
- Morlet-Savary, F., I. Dimicoli and C. Cossart-Magos, Rotational band contour analysis of selected bands in the REMPI spectra of the $S_1 \leftarrow S_0$ transition of different chlorine isotopomers of ClC_6D_5 and $p\text{-}Cl_2C_6H_4$ 164 (1992) 131
- Naves de Brito, A., see M.Y. Adam 164 (1992) 123
- Neugebauer, F.A., see F. Gückel 164 (1992) 217
- Nicoud, J.F., see M. Barzoukas 164 (1992) 395
- Nogueira, S.R., N.V. Vugman and D. Guenzburger, Molecular orbital calculations of the electronic structure and g -tensor for divalent paramagnetic iridium complexes 164 (1992) 229
- Nordfors, D., H. Ågren and K.V. Mikkelsen, The XPS core spectral functions of free and physisorbed molecular oxygen 164 (1992) 173
- Ohno, M., see P. Decleva 164 (1992) 73
- Olsson, B.J., see A.D.O. Bawagan 164 (1992) 283
- Oswald, L., see M. Barzoukas 164 (1992) 395
- Ouboumour, H., see F. Fillaux 164 (1992) 311
- Payne, M.P., see J.G. Brennan 164 (1992) 271
- Percival, P.W., see D.M. Bartels 164 (1992) 421
- Peyerimhoff, S.D., see R. Vetter 164 (1992) 473
- Pisani, C., see A. Lichanot 164 (1992) 383
- Pizzi, A. and G. De Sousa, On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results 164 (1992) 203
- Quinn, K.P., see W.T. Coffey 164 (1992) 357
- Ramondo, F., L. Bencivenni, R. Caminiti and C. Sadun, Ab initio SCF study on $LiClO_4$ and Li_2SO_4 molecules: geometries and vibrational frequencies, Chem. Phys. 151 (1991) 179. Erratum 164 (1992) 153
- Redfern, C.M., see J.G. Brennan 164 (1992) 271
- Remacle, F., see M. Desouter-Lecomte 164 (1992) 11
- Reuter, W., see R. Vetter 164 (1992) 473
- Ridley, T., see R.J. Donovan 164 (1992) 439
- Rostas, F., see X.-F. Yang 164 (1992) 115
- Rostas, J., see X.-F. Yang 164 (1992) 115
- Rubio, R.G., see A. Compostizo 164 (1992) 465
- Sadun, C., see F. Ramondo 164 (1992) 153
- Sakai, Y., W.F. Schmidt and A. Khrapak, High- and low-mobility electrons in liquid neon 164 (1992) 139
- Schirmer, J., see A. Schmitt 164 (1992) 1
- Schmidt, W.F., see Y. Sakai 164 (1992) 139
- Schmitt, A. and J. Schirmer, Molecular K-shell excitation spectra in the relaxed-core Hartree-Fock approximation 164 (1992) 1
- Schweitzer, D., see F. Gückel 164 (1992) 217
- Searles, D., see R. Eggenberger 164 (1992) 321

- Serbutoviez, C., see M. Barzoukas 164 (1992) 395
 Skryshevskaya, M.G., see M.U. Bely 164 (1992) 83
 Smith, D., A study of the tunneling frequencies of CH₃D in various crystalline environments 164 (1992) 407
 Storozhev, A.V., see A.I. Burshtein 164 (1992) 47
 Svensson, S., see M.Y. Adam 164 (1992) 123
 Sze, K.H., see J.G. Brennan 164 (1992) 271
- Tan, K.H., see A.D.O. Bawagan 164 (1992) 283
 Tomkinson, J., see F. Fillaux 164 (1992) 311
- Vetter, R., W. Reuter and S.D. Peyerimhoff, Theoretical spectroscopy of difluoromethylene in the visible and ultraviolet region, *Chem. Phys.* 161 (1992) 379. Erratum 164 (1992) 473
 Vidal, C.R., see S.S. Dimov 164 (1992) 107
 Vigil, M.R., see A. Compostizo 164 (1992) 465
 Vogler, H., see F. Gückel 164 (1992) 217
 Vogt, P., see M. Ganz 164 (1992) 99
 Vugman, N.V., see S.R. Nogueira 164 (1992) 229
- Wallace, R. and C. Chu, Large amplitude Hamiltonians for internal motion in AX₃ molecules. Evaluation of inversion-rotation models 164 (1992) 23
 Wang, X.T., see L. Li 164 (1992) 305
 Wang, Y.-F., see Z.-L. Cai 164 (1992) 377
 Wannberg, B., see M.Y. Adam 164 (1992) 123
 Welker, M., see R. Eggenberger 164 (1992) 321
 Wu, Z.-J. and S.-Y. Zhang, Analysis of angular overlap parameters for Eu³⁺:Ln₂O₂S (Ln=Lu, Y, Gd, La) crystal series 164 (1992) 197
- Xiao, H.-M., see Z.-L. Cai 164 (1992) 377
 Xie, X.B., see L. Li 164 (1992) 305
- Yang, B.X., see A.D.O. Bawagan 164 (1992) 283
 Yang, X.-F., J.-L. Lemaire, F. Rostas and J. Rostas, VUV laser absorption study at 110.6 nm of the rotationally structured ...1 π_g^3 , 3p π_u ³ Σ_u^- Rydberg state of CO₂ 164 (1992) 115
 Yenchu, A.J., see R.J. Donovan 164 (1992) 439
 Yu, L.T., see F. Fillaux 164 (1992) 311
- Zerbetto, F., see E. Albertazzi 164 (1992) 91
 Zhang, S.-Y., see Z.-J. Wu 164 (1992) 197
 Zitserman, V.Yu., see A.M. Berezhkovskii 164 (1992) 341

Subject Index to Volume 164

Methods

Theoretical

Group theory and algebras

- Intensity and alignments of three-photon nonresonant transitions, S.-T. Lai and Y.-N. Chiu 164 (1992) 155

Many body and quasiparticle approaches

- Molecular K-shell excitation spectra in the relaxed-core Hartree-Fock approximation,
A. Schmitt and J. Schirmer 164 (1992) 1
Many-body calculation of the core hole spectrum of PdN₂, P. Decleva and M. Ohno 164 (1992) 73

Coupling schemes and perturbative treatments

- Local decoupling of a bunch of resonances and associated trapping effect, M. Desouter-Lecomte and F. Remacle 164 (1992) 11
Large amplitude Hamiltonians for internal motion in AX₃ molecules. Evaluation of inversion-rotation models, R. Wallace and C. Chu 164 (1992) 23
Intensity and alignments of three-photon nonresonant transitions, S.-T. Lai and Y.-N. Chiu 164 (1992) 155

Equilibrium statistical mechanics

- Intermolecular interaction effects in the vibrational spectra of electrolyte solutions,
M.U. Bely, G.I. Gaididei, Yu.B. Gaididei, I.Ya. Kushnirenko and M.G. Skryshevskaya 164 (1992) 83
Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range, R. Eggenberger, S. Gerber, H. Huber, D. Searles and M. Welker 164 (1992) 321

Non-equilibrium thermodynamic and hydrodynamic theories

- Donor-acceptor vibrations in nonadiabatic electron transfer reactions, D.V. Matyushov 164 (1992) 31
Non-equilibrium solvation in chemical reactions. I. Effective equations of motion,
A.M. Berezhkovskii 164 (1992) 331
Non-equilibrium solvation in chemical reactions. II. Rate constant, A.M. Berezhkovskii and V.Yu. Zitserman 164 (1992) 341
On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions, W.T. Coffey, J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn 164 (1992) 357

Ab initio schemes for stationary properties

- Large amplitude Hamiltonians for internal motion in AX₃ molecules. Evaluation of inversion-rotation models, R. Wallace and C. Chu 164 (1992) 23

- Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene, E. Albertazzi and F. Zerbetto 164 (1992) 91
- The XPS core spectral functions of free and physisorbed molecular oxygen, D. Nordfors, H. Ågren and K.V. Mikkelsen 164 (1992) 173
- Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule, L. Chantranupong, G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon 164 (1992) 183
- Ab initio CI calculations of electronic and vibrational spectra of ZnCH_3 , C. Jamorski and A. Dargelos 164 (1992) 191
- Ab initio study of low-lying electronic states of the N_3^+ ion, Z.-L. Cai, Y.-F. Wang and H.-M. Xiao 164 (1992) 377
- Ab initio Hartree-Fock study of solid beryllium oxide: structure and electronic properties, A. Lichanot, M. Chaillet, C. Larrieu, R. Dovesi and C. Pisani 164 (1992) 383

Computational and simulation methods

- The XPS core spectral functions of free and physisorbed molecular oxygen, D. Nordfors, H. Ågren and K.V. Mikkelsen 164 (1992) 173
- Analysis of angular overlap parameters for $\text{Eu}^{3+}:\text{Ln}_2\text{O}_3\text{S}$ ($\text{Ln} = \text{Lu}, \text{Y}, \text{Gd}, \text{La}$) crystal series, Z.-J. Wu and S.-Y. Zhang 164 (1992) 197
- On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results, A. Pizzi and G. De Sousa 164 (1992) 203
- Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range, R. Eggenberger, S. Gerber, H. Huber, D. Searles and M. Welker 164 (1992) 321
- Conformational dependence of the quadratic hyperpolarisabilities of a series of push-pull stilbenes: characterisation and investigation of empirical correlations, M. Barzoukas, A. Fort, G. Klein, C. Serbutoviez, L. Oswald and J.F. Nicoud 164 (1992) 395
- A study of the tunneling frequencies of CH_3D in various crystalline environments, D. Smith 164 (1992) 407

Molecular dynamics and scattering theory

- Local decoupling of a bunch of resonances and associated trapping effect, M. Desouter-Lecomte and F. Remacle 164 (1992) 11
- The angular momentum relaxation due to multiparticle collisions of molecules with atoms, A.I. Burshtein and A.V. Storozhev 164 (1992) 47
- Intramolecular vibrational activity and quantum beats in the Raman-induced optical Kerr effect of liquids under impulsive electric excitations, T.-H. Huang 164 (1992) 57
- A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering, M. Ganz, W. Kiefer, E. Kolba, J. Manz and P. Vogt 164 (1992) 99

Experimental

Magnetic resonances

- Spectroscopic investigations of the lowest triplet state of *s*-tetrazines, F. Gückel, A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler 164 (1992) 217
- Molecular orbital calculations of the electronic structure and *g*-tensor for divalent paramagnetic iridium complexes, S.R. Nogueira, N.V. Vugman and D. Guenzburger 164 (1992) 229

- Diffusion and CIDEP of H and D atoms in solid H₂O, D₂O and isotopic mixtures, D.M. Bartels, P. Han and P.W. Percival 164 (1992) 421
- Infrared spectroscopy*
- Intermolecular interaction effects in the vibrational spectra of electrolyte solutions, M.U. Bely, G.I. Gaididei, Yu.B. Gaididei, I.Ya. Kushnirenko and M.G. Skryshevskaya 164 (1992) 83
- Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene, E. Albertazzi and F. Zerbetto 164 (1992) 91
- Raman spectroscopy*
- A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering, M. Ganz, W. Kiefer, E. Kolba, J. Manz and P. Vogt 164 (1992) 99
- Visible and UV spectroscopy*
- Rotational collision cross sections of the system CO A ¹Π-M (M=He, Ar, H₂) from a two-step excitation, S.S. Dimov and C.R. Vidal 164 (1992) 107
- VUV laser absorption study at 110.6 nm of the rotationally structured ...1π_g³, 3pπ_u ³Σ_u⁻ Rydberg state of CO₂, X.-F. Yang, J.-L. Lemaire, F. Rostas and J. Rostas 164 (1992) 115
- Anion and cation absorption spectra of conjugated oligomers and polymers, M. Deussen and H. Bässler 164 (1992) 247
- The resonance enhanced (2+1) multiphoton ionization spectrum of I₂, R.J. Donovan, R.V. Flood, K.P. Lawley, A.J. Yench and T. Ridley 164 (1992) 439
- Fluorescence spectroscopy*
- Rotational collision cross sections of the system CO A ¹Π-M (M=He, Ar, H₂) from a two-step excitation, S.S. Dimov and C.R. Vidal 164 (1992) 107
- Spectroscopic investigations of the lowest triplet state of s-tetrazines, F. Gückel, A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler 164 (1992) 217
- A linear response approach to kinetics with time-dependent rate coefficients, M.N. Berberan-Santos and J.M.G. Martinho 164 (1992) 259
- Photoelectron and Auger spectroscopy*
- Many-body calculation of the core hole spectrum of PdN₂, P. Decleva and M. Ohno 164 (1992) 73
- High resolution X-ray and He II excited inner valence photoelectron spectra of HI, M.Y. Adam, M.P. Keane, A. Naves de Brito, N. Correia, B. Wannberg, P. Baltzer, L. Karlsson and S. Svensson 164 (1992) 123
- Electron localization in the bis-arene complexes [(η-C₆H₆)₂Cr] and [(η-C₆H₅Me)₂Mo]: an investigation by photoelectron spectroscopy with variable photon energy, J.G. Brennan, G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze 164 (1992) 271
- The correlation states of furan and thiophene by high resolution synchrotron photoelectron spectroscopy, A.D.O. Bawagan, B.J. Olsson, K.H. Tan, J.M. Chen and B.X. Yang 164 (1992) 283
- Laser methods*
- VUV laser absorption study at 110.6 nm of the rotationally structured ...1π_g³, 3pπ_u ³Σ_u⁻ Rydberg state of CO₂, X.-F. Yang, J.-L. Lemaire, F. Rostas and J. Rostas 164 (1992) 115

- Rotational band contour analysis of selected bands in the REMPI spectra of the $S_1 \leftarrow S_0$ transition of different chlorine isotopomers of ClC_6D_5 and $p\text{-Cl}_2\text{C}_6\text{H}_4$, F. Morlet-Savary, I. Dimicoli and C. Cossart-Magos 164 (1992) 131
- Picosecond spectroscopy*
- A linear response approach to kinetics with time-dependent rate coefficients, M.N. Berberan-Santos and J.M.G. Martinho 164 (1992) 259
- Non-linear optical spectroscopy*
- Conformational dependence of the quadratic hyperpolarisabilities of a series of push-pull stilbenes: characterisation and investigation of empirical correlations, M. Barzoukas, A. Fort, G. Klein, C. Serbutoviez, L. Oswald and J.F. Nicoud 164 (1992) 395
- Synchrotron spectroscopies*
- Electron localization in the bis-arene complexes $[(\eta\text{-C}_6\text{H}_6)_2\text{Cr}]$ and $[(\eta\text{-C}_6\text{H}_5\text{Me})_2\text{Mo}]$: an investigation by photoelectron spectroscopy with variable photon energy, J.G. Brennan, G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze 164 (1992) 271
- The correlation states of furan and thiophene by high resolution synchrotron photoelectron spectroscopy, A.D.O. Bawagan, B.J. Olsson, K.H. Tan, J.M. Chen and B.X. Yang 164 (1992) 283
- Multiple resonance spectroscopy*
- The $(3+1)$ REMPI spectrum of CS_2 in the $62000\text{--}65000\text{ cm}^{-1}$ region, L. Li, X.T. Wang, X.N. Li and X.B. Xie 164 (1992) 305
- Vibrationally mediated selective excitation of matrix-isolated $\text{NO}(\text{B}^2\Pi)$ applied to the study of intramolecular energy redistribution among the excited valence states, I.H. Bachir, R. Charneau and H. Dubost 164 (1992) 451
- Time-resolved experiments*
- High- and low-mobility electrons in liquid neon, Y. Sakai, W.F. Schmidt and A. Khrapak 164 (1992) 139
- Mass spectrometry*
- Rotational band contour analysis of selected bands in the REMPI spectra of the $S_1 \leftarrow S_0$ transition of different chlorine isotopomers of ClC_6D_5 and $p\text{-Cl}_2\text{C}_6\text{H}_4$, F. Morlet-Savary, I. Dimicoli and C. Cossart-Magos 164 (1992) 131
- Radiolysis*
- Diffusion and CIDEP of H and D atoms in solid H_2O , D_2O and isotopic mixtures, D.M. Bartels, P. Han and P.W. Percival 164 (1992) 421
- Neutron scattering*
- Inelastic neutron scattering study of $\gamma\text{-MnO}_2$: the dynamics of $(\text{H}^+)_4$ entities in Mn^{4+} vacancies, F. Fillaux, H. Ouboumour, C. Cachet, J. Tomkinson, G.J. Kearley and L.T. Yu 164 (1992) 311
- Measurement of macroscopic variables*
- Thermal expansion and pressure dependence of the critical temperature near the lower-critical solution point of 2-butoxyethanol+water, A. Compostizo, A. Crespo Colin, M.R. Vigil, R.G. Rubio and M. Diaz Peña 164 (1992) 465

Objects

Bulk systems

Gases

- A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering, M. Ganz, W. Kiefer, E. Kolba, J. Manz and P. Vogt 164 (1992) 99
- VUV laser absorption study at 110.6 nm of the rotationally structured $\dots 1\pi_g^2, 3p\pi_u, ^3\Sigma_u^-$ Rydberg state of CO_2 , X.-F. Yang, J.-L. Lemaire, F. Rostas and J. Rostas 164 (1992) 115
- Rotational band contour analysis of selected bands in the REMPI spectra of the $S_1 \leftarrow S_0$ transition of different chlorine isotopomers of ClC_6D_5 and $p\text{-Cl}_2\text{C}_6\text{H}_4$, F. Morlet-Savary, I. Dimicoli and C. Cossart-Magos 164 (1992) 131
- The (3+1) REMPI spectrum of CS_2 in the 62000–65000 cm^{-1} region, L. Li, X.T. Wang, X.N. Li and X.B. Xie 164 (1992) 305
- Ab initio study of low-lying electronic states of the N_3^+ ion, Z.-L. Cai, Y.-F. Wang and H.-M. Xiao 164 (1992) 377
- The resonance enhanced (2+1) multiphoton ionization spectrum of I_2 , R.J. Donovan, R.V. Flood, K.P. Lawley, A.J. Yench and T. Ridley 164 (1992) 439

Supersonic beams

- Rotational collision cross sections of the system $\text{CO A}^1\Pi\text{-M}$ ($\text{M}=\text{He, Ar, H}_2$) from a two-step excitation, S.S. Dimov and C.R. Vidal 164 (1992) 107

Liquids neat

- Intramolecular vibrational activity and quantum beats in the Raman-induced optical Kerr effect of liquids under impulsive electric excitations, T.-H. Huang 164 (1992) 57
- High- and low-mobility electrons in liquid neon, Y. Sakai, W.F. Schmidt and A. Khrapak 164 (1992) 139
- Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range, R. Eggenberger, S. Gerber, H. Huber, D. Searles and M. Welker 164 (1992) 321

Liquids mixtures and solutions

- Intermolecular interaction effects in the vibrational spectra of electrolyte solutions, M.U. Bely, G.I. Gaididei, Yu.B. Gaididei, I.Ya. Kushnirenko and M.G. Skryshevskaya 164 (1992) 83
- Anion and cation absorption spectra of conjugated oligomers and polymers, M. Deussen and H. Bässler 164 (1992) 247
- A linear response approach to kinetics with time-dependent rate coefficients, M.N. Berberan-Santos and J.M.G. Martinho 164 (1992) 259
- Non-equilibrium solvation in chemical reactions. I. Effective equations of motion, A.M. Berezhkovskii 164 (1992) 331
- Non-equilibrium solvation in chemical reactions. II. Rate constant, A.M. Berezhkovskii and V.Yu. Zitserman 164 (1992) 341
- Thermal expansion and pressure dependence of the critical temperature near the lower-critical solution point of 2-butoxyethanol+water, A. Compostizo, A. Crespo Colin, M.R. Vigil, R.G. Rubio and M. Diaz Peña 164 (1992) 465

Crystals

- Analysis of angular overlap parameters for $\text{Eu}^{3+}:\text{Ln}_2\text{O}_3\text{S}$ ($\text{Ln}=\text{Lu}, \text{Y}, \text{Gd}, \text{La}$) crystal series, Z.-J. Wu and S.-Y. Zhang 164 (1992) 197
- Ab initio Hartree-Fock study of solid beryllium oxide: structure and electronic properties, A. Lichanot, M. Chaillet, C. Larrieu, R. Dovesi and C. Pisani 164 (1992) 383
- Diffusion and CIDEP of H and D atoms in solid H_2O , D_2O and isotopic mixtures, D.M. Bartels, P. Han and P.W. Percival 164 (1992) 421

-neat

- Spectroscopic investigations of the lowest triplet state of *s*-tetrazines, F. Gückel, A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler 164 (1992) 217

Polymers

- On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results, A. Pizzi and G. De Sousa 164 (1992) 203

Surfaces

- The XPS core spectral functions of free and physisorbed molecular oxygen, D. Nordfors, H. Ågren and K.V. Mikkelsen 164 (1992) 173
- A study of the tunneling frequencies of CH_3D in various crystalline environments, D. Smith 164 (1992) 407

Dielectrics

- A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering, M. Ganz, W. Kiefer, E. Kolba, J. Manz and P. Vogt 164 (1992) 99
- On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions, W.T. Coffey, J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn 164 (1992) 357

*Microscopic systems**Atoms*

- Molecular K-shell excitation spectra in the relaxed-core Hartree-Fock approximation, A. Schmitt and J. Schirmer 164 (1992) 1
- The angular momentum relaxation due to multiparticle collisions of molecules with atoms, A.I. Burshtein and A.V. Storozhev 164 (1992) 47

Molecules (neutral and ionic)

- Molecular K-shell excitation spectra in the relaxed-core Hartree-Fock approximation, A. Schmitt and J. Schirmer 164 (1992) 1
- The angular momentum relaxation due to multiparticle collisions of molecules with atoms, A.I. Burshtein and A.V. Storozhev 164 (1992) 47
- Many-body calculation of the core hole spectrum of PdN_2 , P. Decleva and M. Ohno 164 (1992) 73
- Intensity and alignments of three-photon nonresonant transitions, S.-T. Lai and Y.-N. Chiu 164 (1992) 155
- On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions, W.T. Coffey, J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn 164 (1992) 357

- Ab initio study of low-lying electronic states of the N_3^+ ion, Z.-L. Cai, Y.-F. Wang and H.-M. Xiao 164 (1992) 377
- diatomic*
- A symmetry principle for corresponding Stokes and anti-Stokes continuum resonance Raman scattering, M. Ganz, W. Kiefer, E. Kolba, J. Manz and P. Vogl 164 (1992) 99
- Rotational collision cross sections of the system CO A $^1\Pi$ -M (M=He, Ar, H₂) from a two-step excitation, S.S. Dimov and C.R. Vidal 164 (1992) 107
- High resolution X-ray and He II excited inner valence photoelectron spectra of HI, M.Y. Adam, M.P. Keane, A. Naves de Brito, N. Correia, B. Wannberg, P. Baltzer, L. Karlsson and S. Svensson 164 (1992) 123
- Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule, L. Chantranupong, G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon 164 (1992) 183
- Vibrationally mediated selective excitation of matrix-isolated NO(B $^2\Pi$) applied to the study of intramolecular energy redistribution among the excited valence states, I.H. Bachir, R. Charneau and H. Dubost 164 (1992) 451
- small polyatomics*
- Large amplitude Hamiltonians for internal motion in AX₃ molecules. Evaluation of inversion-rotation models, R. Wallace and C. Chu 164 (1992) 23
- VUV laser absorption study at 110.6 nm of the rotationally structured ...1 π_g^3 , 3 $p\pi_u$ $^3\Sigma_u^-$ Rydberg state of CO₂, X.-F. Yang, J.-L. Lemaire, F. Rostas and J. Rostas 164 (1992) 115
- The (3+1) REMPI spectrum of CS₂ in the 62000–65000 cm⁻¹ region, L. Li, X.T. Wang, X.N. Li and X.B. Xie 164 (1992) 305
- Inelastic neutron scattering study of γ -MnO₂: the dynamics of (H⁺)₄ entities in Mn⁴⁺ vacancies, F. Fillaux, H. Ouboumour, C. Cachet, J. Tomkinson, G.J. Kearley and L.T. Yu 164 (1992) 311
- aromatics*
- Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene, E. Albertazzi and F. Zerbetto 164 (1992) 91
- Rotational band contour analysis of selected bands in the REMPI spectra of the S₁←S₀ transition of different chlorine isotopomers of ClC₆D₅ and *p*-Cl₂C₆H₄, F. Morlet-Savary, I. Dimicoli and C. Cossart-Magos 164 (1992) 131
- Spectroscopic investigations of the lowest triplet state of *s*-tetrazines, F. Gückel, A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler 164 (1992) 217
- Conformational dependence of the quadratic hyperpolarisabilities of a series of push-pull stilbenes: characterisation and investigation of empirical correlations, M. Barzoukas, A. Fort, G. Klein, C. Serbutoviez, L. Oswald and J.F. Nicoud 164 (1992) 395
- other large*
- Electron localization in the bis-arene complexes [(η -C₆H₆)₂Cr] and [(η -C₆H₅Me)₂Mo]: an investigation by photoelectron spectroscopy with variable photon energy, J.G. Brennan, G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze 164 (1992) 271

- The correlation states of furan and thiophene by high resolution synchrotron photoelectron spectroscopy, A.D.O. Bawagan, B.J. Olsson, K.H. Tan, J.M. Chen and B.X. Yang 164 (1992) 283

-polymeric and biological

- On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results, A. Pizzi and G. De Sousa 164 (1992) 203
- Anion and cation absorption spectra of conjugated oligomers and polymers, M. Deussen and H. Bässler 164 (1992) 247

Molecular aggregates

-complexes

- Molecular orbital calculations of the electronic structure and *g*-tensor for divalent paramagnetic iridium complexes, S.R. Nogueira, N.V. Vugman and D. Guenzburger 164 (1992) 229

Free radicals (including hydronium and muonium)

- Ab initio CI calculations of electronic and vibrational spectra of ZnCH_3 , C. Jamorski and A. Dargelos 164 (1992) 191
- Diffusion and CIDEP of H and D atoms in solid H_2O , D_2O and isotopic mixtures, D.M. Bartels, P. Han and P.W. Percival 164 (1992) 421

Phenomena

Molecular structure

- Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene, E. Albertazzi and F. Zerbetto 164 (1992) 91
- Ab initio CI calculations of electronic and vibrational spectra of ZnCH_3 , C. Jamorski and A. Dargelos 164 (1992) 191
- Ab initio study of low-lying electronic states of the N_3^+ ion, Z.-L. Cai, Y.-F. Wang and H.-M. Xiao 164 (1992) 377

Vibrations and rotations of molecules

- Large amplitude Hamiltonians for internal motion in AX_3 molecules. Evaluation of inversion-rotation models, R. Wallace and C. Chu 164 (1992) 23
- Local density functional theory calculation of the in-plane force field and vibrational frequencies of conjugated molecules: benzene and octatetraene, E. Albertazzi and F. Zerbetto 164 (1992) 91
- Rotational band contour analysis of selected bands in the REMPI spectra of the $\text{S}_1 \leftarrow \text{S}_0$ transition of different chlorine isotopomers of ClC_6D_5 and $p\text{-Cl}_2\text{C}_6\text{H}_4$, F. Morlet-Savary, I. Dimicoli and C. Cossart-Magos 164 (1992) 131
- Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule, L. Chantranupong, G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon 164 (1992) 183
- Inelastic neutron scattering study of $\gamma\text{-MnO}_2$: the dynamics of $(\text{H}^+)_4$ entities in Mn^{4+} vacancies, F. Fillaux, H. Ouboumour, C. Cachet, J. Tomkinson, G.J. Kearley and L.T. Yu 164 (1992) 311

- On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions, W.T. Coffey, J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn 164 (1992) 357
- Electronic structure and states*
- Many-body calculation of the core hole spectrum of PdN₂, P. Decleva and M. Ohno 164 (1992) 73
- Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule, L. Chantranupong, G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon 164 (1992) 183
- Analysis of angular overlap parameters for Eu³⁺:Ln₂O₂S (Ln=Lu, Y, Gd, La) crystal series, Z.-J. Wu and S.-Y. Zhang 164 (1992) 197
- Molecular orbital calculations of the electronic structure and *g*-tensor for divalent paramagnetic iridium complexes, S.R. Nogueira, N.V. Vugman and D. Guenzburger 164 (1992) 229
- Anion and cation absorption spectra of conjugated oligomers and polymers, M. Deussen and H. Bässler 164 (1992) 247
- Electron localization in the bis-arene complexes [(η -C₆H₆)₂Cr] and [(η -C₆H₅Me)₂Mo]: an investigation by photoelectron spectroscopy with variable photon energy, J.G. Brennan, G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze 164 (1992) 271
- The correlation states of furan and thiophene by high resolution synchrotron photoelectron spectroscopy, A.D.O. Bawagan, B.J. Olsson, K.H. Tan, J.M. Chen and B.X. Yang 164 (1992) 283
- Ab initio study of low-lying electronic states of the N₃⁺ ion, Z.-L. Cai, Y.-F. Wang and H.-M. Xiao 164 (1992) 377
- The resonance enhanced (2+1) multiphoton ionization spectrum of I₂, R.J. Donovan, R.V. Flood, K.P. Lawley, A.J. Yench and T. Ridley 164 (1992) 439
- Electric and magnetic properties*
- High- and low-mobility electrons in liquid neon, Y. Sakai, W.F. Schmidt and A. Khrapak 164 (1992) 139
- Molecular orbital calculations of the electronic structure and *g*-tensor for divalent paramagnetic iridium complexes, S.R. Nogueira, N.V. Vugman and D. Guenzburger 164 (1992) 229
- Spin splittings*
- Spectroscopic investigations of the lowest triplet state of *s*-tetrazines, F. Gückel, A.H. Maki, F.A. Neugebauer, D. Schweitzer and H. Vogler 164 (1992) 217
- Molecular interactions*
- Intermolecular interaction effects in the vibrational spectra of electrolyte solutions, M.U. Bely, G.I. Gaididei, Yu.B. Gaididei, I.Ya. Kushnirenko and M.G. Skryshevskaya 164 (1992) 83
- On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results, A. Pizzi and G. De Sousa 164 (1992) 203
- Spectral bandshapes and intensities*
- Molecular K-shell excitation spectra in the relaxed-core Hartree-Fock approximation, A. Schmitt and J. Schirmer 164 (1992) 1
- VUV laser absorption study at 110.6 nm of the rotationally structured ...1 π_g^2 , 3p π_u ³ Σ_u^- Rydberg state of CO₂, X.-F. Yang, J.-L. Lemaire, F. Rostas and J. Rostas 164 (1992) 115

- Ab initio CI calculation of the generalized oscillator strength for four transitions of the CO molecule, L. Chantranupong, G. Hirsch, Bhanuprakash K., R.J. Buenker, M. Kimura and M.A. Dillon 164 (1992) 183
- Ab initio CI calculations of electronic and vibrational spectra of ZnCH_3 , C. Jamorski and A. Dargelos 164 (1992) 191
- Coupling of electronic and nuclear motion*
- Donor-acceptor vibrations in nonadiabatic electron transfer reactions, D.V. Matyushov 164 (1992) 31
- Energy transfer processes*
- Rotational collision cross sections of the system $\text{CO A } ^1\Pi\text{-M}$ ($\text{M}=\text{He, Ar, H}_2$) from a two-step excitation, S.S. Dimov and C.R. Vidal 164 (1992) 107
- Vibrationally mediated selective excitation of matrix-isolated $\text{NO(B } ^2\Pi)$ applied to the study of intramolecular energy redistribution among the excited valence states, I.H. Bachir, R. Charneau and H. Dubost 164 (1992) 451
- Molecular photophysical processes*
- Intensity and alignments of three-photon nonresonant transitions, S.-T. Lai and Y.-N. Chiu 164 (1992) 155
- A linear response approach to kinetics with time-dependent rate coefficients, M.N. Berberan-Santos and J.M.G. Martinho 164 (1992) 259
- Intramolecular dynamics*
- Local decoupling of a bunch of resonances and associated trapping effect, M. Desouter-Lecomte and F. Remacle 164 (1992) 11
- Donor-acceptor vibrations in nonadiabatic electron transfer reactions, D.V. Matyushov 164 (1992) 31
- radiationless transitions*
- Vibrationally mediated selective excitation of matrix-isolated $\text{NO(B } ^2\Pi)$ applied to the study of intramolecular energy redistribution among the excited valence states, I.H. Bachir, R. Charneau and H. Dubost 164 (1992) 451
- vibrational energy redistribution (including vibrational dissociation)*
- Vibrationally mediated selective excitation of matrix-isolated $\text{NO(B } ^2\Pi)$ applied to the study of intramolecular energy redistribution among the excited valence states, I.H. Bachir, R. Charneau and H. Dubost 164 (1992) 451
- Non-linear responses (including optical)*
- Conformational dependence of the quadratic hyperpolarisabilities of a series of push-pull stilbenes: characterisation and investigation of empirical correlations, M. Barzoukas, A. Fort, G. Klein, C. Serbutoviez, L. Oswald and J.F. Nicoud 164 (1992) 395
- Multiphoton phenomena*
- Intensity and alignments of three-photon nonresonant transitions, S.-T. Lai and Y.-N. Chiu 164 (1992) 155
- The resonance enhanced (2+1) multiphoton ionization spectrum of I_2 , R.J. Donovan, R.V. Flood, K.P. Lawley, A.J. Yencha and T. Ridley 164 (1992) 439

Reactions (including dissociation)

- Local decoupling of a bunch of resonances and associated trapping effect, M. Desouter-Lecomte and F. Remacle 164 (1992) 11
- A linear response approach to kinetics with time-dependent rate coefficients, M.N. Berberan-Santos and J.M.G. Martinho 164 (1992) 259

Tunneling

- Large amplitude Hamiltonians for internal motion in AX_3 molecules. Evaluation of inversion-rotation models, R. Wallace and C. Chu 164 (1992) 23
- Inelastic neutron scattering study of γ - MnO_2 : the dynamics of $(H^+)_4$ entities in Mn^{4+} vacancies, F. Fillaux, H. Ouboumour, C. Cachet, J. Tomkinson, G.J. Kearley and L.T. Yu 164 (1992) 311
- A study of the tunneling frequencies of CH_3D in various crystalline environments, D. Smith 164 (1992) 407

Electron transfer

- Donor-acceptor vibrations in nonadiabatic electron transfer reactions, D.V. Matyushov 164 (1992) 31

Ionization (including Rydberg states)

- Electron localization in the bis-arene complexes $[(\eta-C_6H_6)_2Cr]$ and $[(\eta-C_6H_5Me)_2Mo]$: an investigation by photoelectron spectroscopy with variable photon energy, J.G. Brennan, G. Cooper, J.C. Green, N. Kaltsoyannis, M.A. MacDonald, M.P. Payne, C.M. Redfern and K.H. Sze 164 (1992) 271
- The (3+1) REMPI spectrum of CS_2 in the 62000–65000 cm^{-1} region, L. Li, X.T. Wang, X.N. Li and X.B. Xie 164 (1992) 305
- The resonance enhanced (2+1) multiphoton ionization spectrum of I_2 , R.J. Donovan, R.V. Flood, K.P. Lawley, A.J. Yencha and T. Ridley 164 (1992) 439

Molecular motion (including diffusive)

- Intramolecular vibrational activity and quantum beats in the Raman-induced optical Kerr effect of liquids under impulsive electric excitations, T.-H. Huang 164 (1992) 57
- Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range, R. Eggenberger, S. Gerber, H. Huber, D. Searles and M. Welker 164 (1992) 321
- On the derivation of the after-effect solution for the Kerr effect relaxation from the Langevin equation for rotation in three dimensions, W.T. Coffey, J.-L. Déjardin, Yu.P. Kalmykov and K.P. Quinn 164 (1992) 357
- A study of the tunneling frequencies of CH_3D in various crystalline environments, D. Smith 164 (1992) 407
- Diffusion and CIDEP of H and D atoms in solid H_2O , D_2O and isotopic mixtures, D.M. Bartels, P. Han and P.W. Percival 164 (1992) 421

Isotopic effects

- A study of the tunneling frequencies of CH_3D in various crystalline environments, D. Smith 164 (1992) 407

Fluctuations and noise

- Donor-acceptor vibrations in nonadiabatic electron transfer reactions, D.V. Matyushov 164 (1992) 31

Surface effects and catalysis

- Many-body calculation of the core hole spectrum of PdN_2 , P. Decleva and M. Ohno 164 (1992) 73

- The XPS core spectral functions of free and physisorbed molecular oxygen, D. Nordfors, H. Ågren and K.V. Mikkelsen 164 (1992) 173
- On the resolution of dihydroxydiphenylmethanes on achiral crystalline cellulose II. Correlation of experimental and calculated results, A. Pizzi and G. De Sousa 164 (1992) 203
- Thermodynamic and transport properties*
- Ab initio calculation of the shear viscosity of neon in the liquid and hypercritical state over a wide pressure and temperature range, R. Eggenberger, S. Gerber, H. Huber, D. Searles and M. Welker 164 (1992) 321
- Critical phenomena*
- Thermal expansion and pressure dependence of the critical temperature near the lower-critical solution point of 2-butoxyethanol+water, A. Compostizo, A. Crespo Colin, M.R. Vigil, R.G. Rubio and M. Diaz Peña 164 (1992) 465

